

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

### SECTION 1. IDENTIFICATION

Product name : Fluralaner  
Product code : Fluralaner, Fluralaner

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Combustible dust

Reproductive toxicity : Category 2

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.  
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical attention.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Substance name : Fluralaner  
  
CAS-No. : 864731-61-3

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Fluralaner	864731-61-3*	>= 80 - <= 100	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
No information available.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not use a solid water stream as it may scatter and spread fire.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Fluorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items
-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

- inert or nuisance dust : 50 Million particles per cubic foot  
Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3  
  
15 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (total dust)  
Basis: OSHA Z-3  
  
5 mg/m<sup>3</sup>  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3  
  
15 Million particles per cubic foot  
Value type (Form of exposure): TWA (respirable fraction)  
Basis: OSHA Z-3
- Dust, nuisance dust and par- : 10 mg/m<sup>3</sup>

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

ticulates      Value type (Form of exposure): PEL (Total dust)  
Basis: CAL PEL

5 mg/m<sup>3</sup>  
Value type (Form of exposure): PEL (respirable dust fraction)  
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

---

Skin and body protection : Work uniform or laboratory coat.  
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: white to off-white
Odor	: odorless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: 343.9 - 347.9 °F / 173.3 - 175.5 °C
Initial boiling point and boiling range	: No data available
Flash point	: 457 °F / 236 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: May form combustible dust concentrations in air.
Flammability (liquids)	: Not applicable
Burning number	: 2 (77 °F / 25 °C)
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: < 0.0000001 hPa (68 °F / 20 °C)
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

Solubility(ies)  
Water solubility : 0.082 mg/l

Partition coefficient: n-octanol/water : log Pow: 4.5

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : 556.29 g/mol

Dust deflagration index (Kst) : 170 m.b./s

Minimum ignition energy : > 30 - < 100 mJ  
Method: With inductance  
  
> 30 - < 100 mJ  
Method: Without inductance

Particle characteristics  
Particle size : 1.97 mm

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

### Acute toxicity

Not classified based on available information.

### Components:

#### Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No mortality observed at this dose.  
No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Fluralaner:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Fluralaner:

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Fluralaner:

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Fluralaner:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Fluralaner:

Carcinogenicity - Assessment : No data available

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Fluralaner:

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations., Visceral malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### Fluralaner:

Species : Dog  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 52 Weeks  
Target Organs : Liver  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 400 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, thymus gland

Species : Rat  
NOAEL : 500 mg/kg  
Application Route : Dermal  
Exposure time : 90 Days  
Target Organs : Liver  
Remarks : No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

### Components:

#### Fluralaner:

Not applicable

### Experience with human exposure

### Components:

#### Fluralaner:

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 204  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### Persistence and degradability

No data available

### Bioaccumulative potential

### Components:

#### Fluralaner:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79.4  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

### Mobility in soil

#### Components:

##### Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

### Other adverse effects

#### Components:

##### Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fluralaner)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Fluralaner)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

---

Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Fluralaner)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Fluralaner)  
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version 13.1      Revision Date: 01/26/2026      SDS Number: 186555-00039      Date of last issue: 01/16/2026  
Date of first issue: 06/17/2015

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust  
Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Fluralaner

864731-61-3

#### The ingredients of this product are reported in the following inventories:

AICS : not determined


CA. DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	0
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

CAL PEL : California permissible exposure limits for chemical contami-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

---

OSHA Z-3 : nants (Title 8, Article 107)  
: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
CAL PEL / PEL : Permissible exposure limit  
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/26/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 01/16/2026
13.1	01/26/2026	186555-00039	Date of first issue: 06/17/2015

---

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8