



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P308 + P311 IF exposed or concerned: Call a doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Imidocarb	No data available	27885-92-3	$\geq 10 - < 30$ *
Propionic acid	No data available	79-09-4	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
Causes damage to organs if swallowed.  
Causes damage to organs through prolonged or repeated exposure if swallowed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

Protection of first-aiders : No information available.  
: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable

---

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : | Use only with adequate ventilation.   |
| Advice on safe handling     | : | Do not breathe mist or vapors.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases  |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Imidocarb	27885-92-3	TWA	55 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	550 µg/100 cm <sup>2</sup>	Internal
Propionic acid	79-09-4	TWA	10 ppm 30 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm 30 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH

- |                             |   |  |
|-----------------------------|---|--|
| <b>Engineering measures</b> | : | Use appropriate engineering controls and manufacturing |
|-----------------------------|---|--|

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Combined particulates and organic vapor type   |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Consider double gloving.   |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.  |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |                |   |                   |
|----------------|---|-------------------|
| Appearance     | : | liquid            |
| Color          | : | clear             |
| Odor           | : | No data available |
| Odor Threshold | : | No data available |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

pH	:	4.5
Melting point/freezing point	:	100 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

#### Components:

##### **Imidocarb:**

Acute oral toxicity	:	LD50 (Rat): 1,216 - 1,652 mg/kg  LD50 (Mouse): 544 - 702 mg/kg  LD50 (Rabbit): 317 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 32.7 mg/kg Application Route: Intravenous  LD50 (Mouse): 22.3 mg/kg Application Route: Intravenous

##### **Propionic acid:**

Acute inhalation toxicity	:	LC50 (Rat): > 20 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rat, female): 3,235 mg/kg

## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Components:**

##### **Imidocarb:**

Remarks : No data available

##### **Propionic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Components:**

##### **Imidocarb:**

Remarks : No data available

##### **Propionic acid:**

Species : Rabbit  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Components:**

##### **Imidocarb:**

Remarks : No data available

##### **Propionic acid:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **Imidocarb:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: negative

### Propionic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Hamster  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Imidocarb:

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 240 mg/kg body weight  
Result : negative  
Target Organs : Mammary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

#### Propionic acid:

Species : Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Imidocarb:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 135 mg/kg body weight  
Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 45 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 76 mg/kg body weight  
Result: Effects on fetal development., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### Propionic acid:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

### Components:

#### **Imidocarb:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

#### **Propionic acid:**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

### Components:

#### **Imidocarb:**

Target Organs : Liver, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Propionic acid:**

Assessment : No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

### **Repeated dose toxicity**

### Components:

#### **Imidocarb:**

Species : Rat  
LOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Rat  
NOAEL : 76 mg/kg  
LOAEL : 415 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Dog  
LOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, Kidney  
Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat  
NOAEL : 15 mg/kg  
LOAEL : 60 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version 2.13      Revision Date: 12/06/2025      SDS Number: 632240-00019      Date of last issue: 05/09/2025  
Date of first issue: 05/02/2016

---

Exposure time : 104 Weeks  
Target Organs : Liver, Kidney, Blood

Species : Monkey  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

### Propionic acid:

Species : Dog  
NOAEL : 733.4 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 409

Species : Mouse, female  
LOAEL : 136.9 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Imidocarb:

Inhalation : Target Organs: Central nervous system  
Symptoms: Salivation, muscle twitching, Tremors, Lachry-  
mation, ataxia, lethargy  
Remarks: Based on Animal Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Propionic acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 96 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EbC50 (Desmodesmus subspicatus (green algae)): > 100  
plants : mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 44.6 mg/l  
Exposure time: 17 h  
Method: DIN 38 412 Part 8

### Persistence and degradability

#### Components:

##### Propionic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 30 d

### Bioaccumulative potential

#### Components:

##### Imidocarb:

Partition coefficient: n-octanol/water : log Pow: 3.88

##### Propionic acid:

Partition coefficient: n-octanol/water : log Pow: 0.33

##### Mobility in soil

No data available

##### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

### TDG

Not regulated as a dangerous good

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
2.13	12/06/2025	632240-00019	Date of first issue: 05/02/2016

---

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/06/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8