

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

### SECTION 1. IDENTIFICATION

Product name : Fluazuron / Abamectin Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Category 1  
Germ cell mutagenicity : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 1 (Central nervous system)  
- repeated exposure (Oral)  
Specific target organ toxicity : Category 2 (Central nervous system, nasal cavity)  
- repeated exposure

#### GHS label elements

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H302 + H332 Harmful if swallowed or if inhaled.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H341 Suspected of causing genetic defects.  
H360Df May damage the unborn child. Suspected of damaging fertility.  
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system, nasal cavity) through prolonged or repeated exposure.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propan-2-ol	Isopropyl alcohol	67-63-0	$\geq 30 - < 60$ *
N-Methyl-2-pyrrolidone	1-Methylpyrrolidinone	872-50-4	$\geq 30 - < 60$ *
Fluazuron	No data available	86811-58-7	$\geq 1 - < 5$ *
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	No data available	71751-41-2	$\geq 1 - < 5$ *
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	3,4-Epoxyhexylmethyl-3,4-epoxycyclohexanecarboxylate	2386-87-0	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

In case of eye contact	:	Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects. May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	No information available. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds Fluorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	STEL	400 ppm 984 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm 492 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	200 ppm	CA QC OEL
		STEV	400 ppm	CA QC OEL
		TWA	200 ppm	ACGIH
N-Methyl-2-pyrrolidone	872-50-4	STEL	400 ppm	ACGIH
		TWA	400 mg/m <sup>3</sup>	CA ON OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

Fluazuron	86811-58-7	TWA	60 µg/m3 (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm2	Internal
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 28 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

### Acute toxicity

Harmful if swallowed or if inhaled.

#### **Product:**

- Acute oral toxicity : Acute toxicity estimate: 1,822 mg/kg  
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: 2.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **Propan-2-ol:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

##### **N-Methyl-2-pyrrolidone:**

- Acute oral toxicity : LD50 (Rat): 4,150 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline
- Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

##### **Fluazuron:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity : LD50 (Rat): 24 mg/kg  
LD50 (Mouse): 10 mg/kg  
LDLo (Monkey): 24 mg/kg  
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg  
LD50 (Rabbit): 2,000 mg/kg

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity : LD50 (Rat, male): > 2,959 - 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat):  $\geq$  5.19 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

### **Components:**

#### **Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

#### **N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : The test was conducted equivalent or similar to guideline

#### **Fluazuron:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : No skin irritation

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

#### **Fluazuron:**

Species : Rabbit  
Result : Mild eye irritation  
Method : OECD Test Guideline 405

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : Mild eye irritation

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

### **Components:**

#### **Propan-2-ol:**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **N-Methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

#### **Fluazuron:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Result : Not a skin sensitizer.

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### **Components:**

#### **Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Application Route: Intraperitoneal injection  
Result: negative

### **N-Methyl-2-pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OECD Test Guideline 482  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline

### **Fluazuron:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Hamster  
Result: equivocal

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Alkaline elution assay

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Genotoxicity in vivo      :      Result: negative  
:      Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Genotoxicity in vitro      :      Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive

Genotoxicity in vivo      :      Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive

Germ cell mutagenicity - Assessment      :      Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Species      :      Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **N-Methyl-2-pyrrolidone:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted according to guideline

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

### **Fluazuron:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
Application Route : Oral  
Exposure time : 105 weeks  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 93 weeks  
Result : negative

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 29 Months  
Result : negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

### Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

### Components:

#### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive  
Remarks: The test was conducted according to guideline

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 414  
Result: positive  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive  
Remarks: The test was conducted equivalent or similar to guideline

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

#### Fluazuron:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Effects on fertility : Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
Result: Cleft palate  
Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Result: Cleft palate, Teratogenic effects., Reduced embryonic survival  
Remarks: Adverse developmental effects were observed

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
Result: Teratogenic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### STOT-single exposure

May cause respiratory irritation.  
May cause drowsiness or dizziness.

#### Components:

##### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

##### N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.  
May cause damage to organs (Central nervous system, nasal cavity) through prolonged or repeated exposure.

#### Components:

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Routes of exposure : Ingestion  
Target Organs : nasal cavity  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### Repeated dose toxicity

#### Components:

##### Propan-2-ol:

Species : Rat  
NOAEL : 12.5 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 104 Weeks

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

### **N-Methyl-2-pyrrolidone:**

Species : Rat, male  
NOAEL : 169 mg/kg  
LOAEL : 433 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : The test was conducted according to guideline

Species : Rat  
NOAEL : 0.5 mg/l  
LOAEL : 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 96 Days  
Method : OECD Test Guideline 413  
Remarks : The test was conducted according to guideline

Species : Rabbit, male  
NOAEL : 826 mg/kg  
LOAEL : 1,653 mg/kg  
Application Route : Skin contact  
Exposure time : 20 Days  
Method : OECD Test Guideline 410  
Remarks : The test was conducted equivalent or similar to guideline

### **Fluazuron:**

Species : Rat  
LOAEL : 240 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Target Organs : Liver, Thyroid, Pituitary gland

Species : Rat  
NOAEL : 10 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Skin contact  
Exposure time : 3 Weeks

Species : Dog  
NOAEL : 7.5 mg/kg  
LOAEL : 110 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Target Organs : Liver

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
NOAEL : 1.5 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Species : Mouse  
NOAEL : 4.0 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, weight loss  
Remarks : mortality observed

Species : Monkey  
NOAEL : 1.0 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

#### **N-Methyl-2-pyrrolidone:**

Skin contact : Symptoms: Skin irritation

#### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Ingestion : Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 1,050 mg/l  
Exposure time: 16 h

### **N-Methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: DIN 38412  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): 600.5 mg/l  
Exposure time: 72 h

EC10 (*Desmodesmus subspicatus* (green algae)): 92.6 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 12.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: The test was conducted according to guideline

Toxicity to microorganisms : EC50 (activated sludge): > 600 mg/l  
Exposure time: 30 min  
Method: ISO 8192  
Remarks: The test was conducted according to guideline

### **Fluazuron:**

Toxicity to fish : LC50 (*Cyprinus carpio* (Carp)): > 9.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia* sp. (Water flea)): 0.0006 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 27.9 mg/l  
Exposure time: 72 h

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 3.2 µg/l  
Exposure time: 96 h

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 9.6 µg/l  
Exposure time: 96 h

LC50 (*Ictalurus punctatus* (channel catfish)): 24 µg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l  
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.022 µg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 µg/l  
Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (activated sludge): 409 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

### Persistence and degradability

#### Components:

##### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

##### **N-Methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 73 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C  
Remarks: The test was conducted according to guideline

Biodegradation Simulation Tests :

Environmental Compartment: Soil  
Value type: DT50  
Value: 11.5 d  
Temperature: 20 °C  
Remarks: No test guideline followed

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water : Hydrolysis: 50 %(< 12 h)

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

##### **N-Methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46  
Method: OECD Test Guideline 107  
Remarks: The test was conducted according to guideline

##### **Fluazuron:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

Partition coefficient: n-octanol/water : log Pow: 5.1

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Partition coefficient: n-octanol/water : log Pow: 1.34  
Method: OECD Test Guideline 107

### **Mobility in soil**

#### **Components:**

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Distribution among environmental compartments : log Koc: > 3.6

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

#### **IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

---

(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol, Fluazuron, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
ERG Code : 128  
Marine pollutant : yes(Fluazuron, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined  
IECSC : not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version 9.2      Revision Date: 12/06/2025      SDS Number: 800395-00027      Date of last issue: 03/24/2025  
Date of first issue: 07/12/2016

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA EV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluazuron / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03/24/2025
9.2	12/06/2025	800395-00027	Date of first issue: 07/12/2016

---

Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/06/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8