

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

### SECTION 1. IDENTIFICATION

Product name : Fluralaner (Cattle Pour-On) Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

##### Hazards for the product as supplied

Flammable liquids : Category 3  
Eye irritation : Category 2A  
Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 3  
- single exposure

##### Other hazards

Vapors may form explosive mixture with air.

##### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H360FD May damage fertility. May damage the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

P210 Keep away from heat, sparks, open flame and hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical, ventilating and lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
2-Pyrrolidone	616-45-5*	>= 15 - <= 40	TSC
Propan-2-ol	67-63-0*	>= 15 - <= 40	TSC
L-Menthol	2216-51-5*	>= 7 - <= 13	TSC
Fluralaner	864731-61-3*	>= 3 - <= 7	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May damage fertility. May damage the unborn child.  
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
------------	---------	--------------------	---------------------	---------------	---------------------------	-------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI
-------------	---------	---------	-------	----------------------------------	---------	-----------

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Take note that the product is flammable, which may impact the selection of hand protection.

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

Appearance	:	liquid
Color	:	blue green, clear
Odor	:	mint-like
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	77 °F / 25 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

Particle characteristics  
Particle size : Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Flammable liquid and vapor.  
Vapors may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Acute toxicity estimate: 52.89 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

#### Components:

##### **2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

toxicity

### Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

### Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No mortality observed at this dose.  
No significant adverse effects were reported  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Method : OECD Test Guideline 431  
Result : Not corrosive

### Components:

#### 2-Pyrrolidone:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Propan-2-ol:

Species : Rabbit  
Result : No skin irritation

#### L-Menthol:

Species : Rabbit  
Method : OECD Test Guideline 404

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

Result : Skin irritation

### Fluralaner:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### 2-Pyrrolidone:

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

#### Propan-2-ol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### L-Menthol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days  
Method : OECD Test Guideline 405

### Fluralaner:

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Product:

Test Type : Local lymph node assay (LLNA)  
Method : OECD Test Guideline 429

### Components:

#### 2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

### Propan-2-ol:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### L-Menthol:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

### Fluralaner:

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 2-Pyrrolidone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

#### Propan-2-ol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **L-Menthol:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **Fluralaner:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **2-Pyrrolidone:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 18 month(s)  
Result : negative  
Remarks : Based on data from similar materials

#### **Propan-2-ol:**

Species : Rat  
Application Route : inhalation (vapor)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

### L-Menthol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 453  
Result : negative  
Remarks : Based on data from similar materials

### Fluralaner:

Carcinogenicity - Assessment : No data available

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### 2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

#### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### L-Menthol:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Fluralaner:

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations., Visceral malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### STOT-single exposure

May cause drowsiness or dizziness.

### Components:

#### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### **2-Pyrrolidone:**

Species	:	Rat
NOAEL	:	207 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 Months
Method	:	OECD Test Guideline 408

##### **Propan-2-ol:**

Species	:	Rat
NOAEL	:	12.5 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	104 Weeks

##### **L-Menthol:**

Species	:	Mouse
NOAEL	:	1,250 mg/kg
Application Route	:	Ingestion
Exposure time	:	91 Days
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

##### **Fluralaner:**

Species	:	Dog
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	52 Weeks
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

Species	:	Rat
LOAEL	:	400 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, thymus gland

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Dermal
Exposure time	:	90 Days
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Fluralaner:

Not applicable

### Experience with human exposure

### Components:

#### Fluralaner:

Skin contact	:	Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### 2-Pyrrolidone:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

#### Propan-2-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h

#### L-Menthol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 15.6 mg/l
------------------	---	--

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

- Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26.6 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21.4 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.
- NOEC (Desmodesmus subspicatus (green algae)): 9.65 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.
- Toxicity to microorganisms : EC50: 237 mg/l  
Exposure time: 96 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### Fluralaner:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 204  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

#### **2-Pyrrolidone:**

- Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

### Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

### L-Menthol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 64 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

#### 2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71  
Method: OECD Test Guideline 107

#### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

#### L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.5 - 15  
Exposure time: 6 Weeks  
Method: OECD Test Guideline 305  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.15

#### Fluralaner:

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79.4  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

### Mobility in soil

#### Components:

#### Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

---

### Other adverse effects

#### Components:

##### Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol, Fluralaner)  
Class : 3  
Packing group : III  
Labels : 3

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

---

EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 1993  
Proper shipping name : Flammable liquids, n.o.s.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : FLAMMABLE LIQUID  
ERG Code : 128  
Marine pollutant : yes(Fluralaner)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Reproductive toxicity  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Propan-2-ol	67-63-0	>= 30 - < 50 %
-------------	---------	----------------

### US State Regulations

#### Pennsylvania Right To Know

2-Pyrrolidone	616-45-5
Propan-2-ol	67-63-0
L-Menthol	2216-51-5
Decanoic acid, mixed diesters with octanoic acid and propylene glycol	68583-51-7
Fluralaner	864731-61-3

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version 8.3      Revision Date: 01/21/2026      SDS Number: 1688457-00026      Date of last issue: 12/06/2025  
Date of first issue: 05/21/2017

### California List of Hazardous Substances

Propan-2-ol      67-63-0

### California Permissible Exposure Limits for Chemical Contaminants

Propan-2-ol      67-63-0

### The ingredients of this product are reported in the following inventories:

AICS      :    not determined


CA. DSL      :    not determined

IECSC      :    not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

- ACGIH      :    USA. ACGIH Threshold Limit Values (TLV)
- ACGIH BEI      :    ACGIH - Biological Exposure Indices (BEI)
- NIOSH REL      :    USA. NIOSH Recommended Exposure Limits
- OSHA Z-1      :    USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- ACGIH / TWA      :    8-hour, time-weighted average
- ACGIH / STEL      :    Short-term exposure limit
- NIOSH REL / TWA      :    Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- NIOSH REL / ST      :    STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
- OSHA Z-1 / TWA      :    8-hour time weighted average

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2025
8.3	01/21/2026	1688457-00026	Date of first issue: 05/21/2017

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/21/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8