

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

SECTION 1. IDENTIFICATION

Product name : Pyrantel Pamoate / Moxidectin Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Central nervous system)
- repeated exposure

Other hazards

None known.

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6*	>= 30 - <= 60	TSC
Propylene glycol	57-55-6*	>= 10 - <= 30	TSC
Glycerine	56-81-5*	>= 7 - <= 13	TSC
Moxidectin	113507-06-5*	>= 0.5 - <= 1.5	TSC
Ethanol#	64-17-5*	>= 0 - <= 0.1	TSC

Voluntarily-disclosed substance

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Most important symptoms and effects, both acute and delayed	:	Get medical attention.
	:	Rinse mouth thoroughly with water.
	:	Suspected of damaging the unborn child.
Protection of first-aiders	:	Causes damage to organs through prolonged or repeated exposure.
	:	No information available.
Notes to physician	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid breathing vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 µg/m ³ (OEB 2)	Internal
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
Moxidectin	113507-06-5	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Color	:	yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Acute oral toxicity : LD50 (Rat): > 24,000 mg/kg
LD50 (Mouse): > 24,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

LD50 (Dog): 2,000 mg/kg

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg
LD50 (Mouse): 42 - 84 mg/kg
Acute inhalation toxicity : LC50 (Rat): 3.28 mg/l
Exposure time: 5 h
Test atmosphere: dust/mist
LC50 (Rat): 2.87 - 4.06 mg/l
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: No significant adverse effects were reported
Acute toxicity (other routes of administration) : LD50 (Rat): 394 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 84 mg/kg
Application Route: Intraperitoneal
LD50 (Rat): > 640 mg/kg
Application Route: Subcutaneous
LD50 (Mouse): 263 mg/kg
Application Route: Subcutaneous

Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg
Method: OECD Test Guideline 401
Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Test atmosphere: vapor
Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Glycerine:

Species : Rabbit
Result : No skin irritation

Moxidectin:

Species : Rabbit
Result : Mild skin irritation

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Glycerine:

Species : Rabbit
Result : No eye irritation

Moxidectin:

Species : Rabbit
Result : Moderate eye irritation

Ethanol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Moxidectin:

Test Type	:	Buehler Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Ethanol:

Test Type	:	Mouse ear swelling test (MEST)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Propylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
--	---	---

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse
----------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Application Route: Intraperitoneal injection
Result: negative

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Moxidectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Result: negative

Test Type: in vitro test
Test system: Escherichia coli
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Cell type: Liver cells
Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Moxidectin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 4.5 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 4.5 mg/kg body weight
Result : negative

Species : Dog
Application Route : Oral
Exposure time : 1 Years
NOAEL : 0.5 mg/kg body weight
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 3,000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Moxidectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity F1: LOAEL: 0.8 mg/kg body weight
Symptoms: Reduced fetal weight., Fetal mortality.
Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity F1: LOAEL: 0.8 mg/kg body weight Symptoms: Reduced fetal weight., Fetal mortality. Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 10 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 10 mg/kg body weight Result: Skeletal malformations. Remarks: The effects were seen only at maternally toxic doses.
	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: LOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects., No embryotoxic effects.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Ethanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Moxidectin:

Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species	: Dog
---------	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 3 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 19 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 30 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Propylene glycol:

Species : Rat, male
NOAEL : >= 1,700 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Glycerine:

Species : Rat
NOAEL : 0.167 mg/l
LOAEL : 0.622 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks

Species : Rat
NOAEL : 8,000 - 10,000 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

Moxidectin:

Species : Mouse
NOAEL : 3.9 mg/kg
LOAEL : 15.4 mg/kg
Application Route : Oral

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Exposure time : 4 Weeks
Symptoms : Tremors

Species : Rat
NOAEL : 3.9 mg/kg
LOAEL : 7.9 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Central nervous system
Symptoms : Tremors, Salivation

Species : Dog
NOAEL : 0.3 mg/kg
LOAEL : 0.9 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Central nervous system
Symptoms : Tremors, Lachrymation, Salivation

Species : Dog
NOAEL : 1.15 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Central nervous system
Symptoms : Tremors, Lachrymation

Ethanol:

Species : Rat
NOAEL : 1,730 mg/kg
LOAEL : 3,200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea, Headache, Dizziness, Fever

Moxidectin:

Inhalation : Remarks: No human information is available.
Skin contact : Remarks: No human information is available.
Eye contact : Remarks: No human information is available.
Ingestion : Remarks: No human information is available.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Moxidectin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0006 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0002 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00003 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.087 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ethanol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
- EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): \geq 79 mg/l
Exposure time: 100 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d
- Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l
Exposure time: 4 h

Persistence and degradability

Components:

Propylene glycol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Glycerine:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d
Method: OECD Test Guideline 301D

Ethanol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

II

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

Moxidectin:

Partition coefficient: n-octanol/water : log Pow: 4.7

Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

Mobility in soil

Components:

Ethanol:

Distribution among environmental compartments : log Koc: 0.2

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Moxidectin)

Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version 6.0 Revision Date: 12/06/2025 SDS Number: 4892845-00015 Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Moxidectin)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Moxidectin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Moxidectin)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Moxidectin)
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/18/2025
6.0	12/06/2025	4892845-00015	Date of first issue: 09/17/2019

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

4,4'-Methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6
Water	7732-18-5
Propylene glycol	57-55-6
Glycerine	56-81-5
D-Glucitol	50-70-4
Sodium hydroxide	1310-73-2

California Permissible Exposure Limits for Chemical Contaminants

Glycerine	56-81-5
-----------	---------

The ingredients of this product are reported in the following inventories:

CA. DSL : not determined

AICS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation


Version
6.0

Revision Date:
12/06/2025

SDS Number:
4892845-00015

Date of last issue: 06/18/2025
Date of first issue: 09/17/2019

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Pyrantel Pamoate / Moxidectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/18/2025
6.0	12/06/2025	4892845-00015	Date of first issue: 09/17/2019

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/06/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8