

## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

### SECTION 1. IDENTIFICATION

Product name : Sulfapyridine Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 3  
Skin sensitization : Category 1  
Reproductive toxicity : Category 1A  
Specific target organ toxicity - single exposure (Oral) : Category 1

#### GHS label elements

Hazard pictograms :   

Signal Word : Danger

Hazard Statements : H301 Toxic if swallowed.  
H317 May cause an allergic skin reaction.  
H360F May damage fertility.  
H370 Causes damage to organs if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust, fume, gas, mist, vapors or spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P311 IF exposed or concerned: Call a doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Peanut oil	No data available	8002-03-7	>= 30 - < 60 *
Petrolatum	White Vaseline	8009-03-8	>= 10 - < 30 *
Sulfapyridine	No data available	144-83-2	>= 10 - < 30 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2025
4.0	12/13/2025	5624952-00013	Date of first issue: 04/09/2020

---

- In case of eye contact : Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
: If in eyes, rinse well with water.
- If swallowed : Get medical attention if irritation develops and persists.  
: If swallowed, DO NOT induce vomiting.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed.  
May cause an allergic skin reaction.  
May damage fertility.  
Causes damage to organs if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
-

## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2025
4.0	12/13/2025	5624952-00013	Date of first issue: 04/09/2020

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing dust, fume, gas, mist, vapors or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides
-

## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Peanut oil	8002-03-7	TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Sulfapyridine	144-83-2	TWA	0.25 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapor type

**Hand protection**

**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable

## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

|| Skin contact  
|| Ingestion  
|| Eye contact

#### Acute toxicity

Toxic if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 158 mg/kg  
Method: Calculation method

#### Components:

##### Peanut oil:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### **Sulfapyridine:**

Acute oral toxicity : LD50 (Rat): 15.8 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Peanut oil:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Peanut oil:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **Petrolatum:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Petrolatum:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

##### Sulfapyridine:

Assessment	:	May cause sensitization by skin contact.
------------	---	--

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Peanut oil:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

##### Petrolatum:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

##### Sulfapyridine:

Genotoxicity in vitro	:	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: positive  Test Type: Chromosome aberration test in vitro Test system: Chinese hamster cells Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

cytogenetic assay)  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Petrolatum:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Sulfapyridine:**

Carcinogenicity - Assessment : No data available

### **Reproductive toxicity**

May damage fertility.

### **Components:**

#### **Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

#### **Sulfapyridine:**

Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies.

### **STOT-single exposure**

Causes damage to organs if swallowed.

## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

### Components:

#### **Sulfapyridine:**

Routes of exposure : Oral  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

#### **STOT-repeated exposure**

Not classified based on available information.

#### **Repeated dose toxicity**

### Components:

#### **Petrolatum:**

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

### Components:

#### **Sulfapyridine:**

Skin contact : Symptoms: Sensitization  
Ingestion : Symptoms: Gastrointestinal disturbance  
Symptoms: Sensitivity to light  
Symptoms: Headache  
Symptoms: hepatitis  
Symptoms: Stevens-Johnson syndrome

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

##### **Peanut oil:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

	Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

### Sulfapyridine:

Toxicity to algae/aquatic plants	: EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l End point: Growth rate Exposure time: 72 h
----------------------------------	--

### Persistence and degradability

#### Components:

#### Petrolatum:

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 301F Remarks: The test was conducted according to guideline Based on data from similar materials
------------------	--

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version 4.0      Revision Date: 12/13/2025      SDS Number: 5624952-00013      Date of last issue: 12/07/2025  
Date of first issue: 04/09/2020

---

handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 2811  
Proper shipping name : Toxic solid, organic, n.o.s.  
(Sulfapyridine)  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 677  
Packing instruction (passenger aircraft) : 670

##### IMDG-Code

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Sulfapyridine)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
ERG Code : 154  
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2025
4.0	12/13/2025	5624952-00013	Date of first issue: 04/09/2020

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

CA. DSL : not determined

IECSC : not determined

#### Canadian lists

|| No substances are subject to CEPA Section 84 Ministerial Conditions.

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Sulfapyridine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/07/2025
4.0	12/13/2025	5624952-00013	Date of first issue: 04/09/2020

---

Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/13/2025  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8