

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### SECTION 1. IDENTIFICATION

Product name : Oxytetracycline (10%) Liquid Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Sub-category 1A  
Reproductive toxicity : Category 1A

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propylene glycol	1,2-Propanediol	57-55-6	$\geq 30 - < 60$ *
Oxytetracycline	No data available	79-57-2	$\geq 5 - < 10$ *
Glycerine	1,2,3-Propanetriol	56-81-5	$\geq 5 - < 10$ *
Ethanolamine	2-Aminoethanol	141-43-5	$\geq 1 - < 5$ *
Sodium hydroxymethanesulphinate	Methanesulfinic acid, hydroxy-, monosodium salt, dihydrate	6035-47-8	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

- 
- |   |   |   |
|---|---|---|
|   |   | for at least 15 minutes while removing contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.    |
| In case of eye contact                                      | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention.          |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : | Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation.<br>May damage the unborn child.<br>No information available.              |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician  | : | Treat symptomatically and supportively.   |

---

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---|---|--|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
Oxytetracycline	79-57-2	TWA	500 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
Ethanolamine	141-43-5	TWA	3 ppm 7.5 mg/m <sup>3</sup>	CA AB OEL
		STEL	6 ppm 15 mg/m <sup>3</sup>	CA AB OEL
		TWA	3 ppm	CA BC OEL
		STEL	6 ppm	CA BC OEL
		TWAEV	3 ppm 7.5 mg/m <sup>3</sup>	CA QC OEL
		STEV	6 ppm 15 mg/m <sup>3</sup>	CA QC OEL
		TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection  
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

Skin and body protection : If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Hygiene measures : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
: Work uniform or laboratory coat.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: light yellow amber translucent
Odor	: No data available
Odor Threshold	: No data available
pH	: 8.0 - 9.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.050 - 1.250 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Propylene glycol:**

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Oxytetracycline:**

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg  
LD50 (Mouse): 2,240 mg/kg  
Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 4,840 mg/kg  
Application Route: Intramuscular  
LD50 (Mouse): 3,500 mg/kg  
Application Route: Subcutaneous

#### **Glycerine:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

#### **Ethanolamine:**

Acute oral toxicity : LD50 (Rat): 1,089 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

Test atmosphere: vapor  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit, female): 1,018 mg/kg

### **Sodium hydroxymethanesulphinat:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Causes skin irritation.

### **Components:**

#### **Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Oxytetracycline:**

Remarks : No data available

#### **Glycerine:**

Species : Rabbit  
Result : No skin irritation

#### **Ethanolamine:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **Sodium hydroxymethanesulphinat:**

Species : Rat  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Propylene glycol:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

Method : OECD Test Guideline 405

### **Oxytetracycline:**

Remarks : No data available

### **Glycerine:**

Species : Rabbit  
Result : No eye irritation

### **Ethanolamine:**

Species : Rabbit  
Result : Irreversible effects on the eye

### **Sodium hydroxymethanesulphinate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

### **Components:**

#### **Propylene glycol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **Oxytetracycline:**

Test Type : Human repeat insult patch test (HRIPT)  
Result : Sensitizer

#### **Ethanolamine:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **Sodium hydroxymethanesulphinate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### Oxytetracycline:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

Test Type: Mouse Lymphoma  
Metabolic activation: Metabolic activation  
Result: positive

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: equivocal

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: equivocal

Test Type: in vivo assay  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### **Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

### **Ethanolamine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### **Sodium hydroxymethanesulphinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### Components:

#### **Propylene glycol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Oxytetracycline:**

Species : Mouse  
Application Route : Oral  
Exposure time : 104 weeks  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 103 weeks  
Result : equivocal  
Target Organs : Adrenal gland, Pituitary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Glycerine:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Reproductive toxicity**

May damage the unborn child.

### Components:

#### **Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Oxytetracycline:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

Fertility: NOAEL: 18 mg/kg body weight  
Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight  
Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL: 1,500 mg/kg body weight  
Result: No teratogenic effects.  
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL: 2,100 mg/kg body weight  
Result: No teratogenic effects.  
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Intramuscular  
Embryo-fetal toxicity.: LOAEL: 41.5 mg/kg body weight  
Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development  
Species: Dog  
Application Route: Intramuscular  
Embryo-fetal toxicity.: LOAEL: 20.75 mg/kg body weight  
Result: Skeletal and visceral variations ., Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### **Glycerine:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

### Ethanolamine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

#### Components:

### Ethanolamine:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

### Ethanolamine:

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### Repeated dose toxicity

#### Components:

##### **Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Oxytetracycline:**

Species : Rat  
LOAEL : 198 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Bone  
Remarks : No significant adverse effects were reported

Species : Mouse  
LOAEL : 7,990 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Bone  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 125 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Testis  
Remarks : Significant toxicity observed in testing

Species : Rat  
NOAEL : 40 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 14 Days  
Target Organs : Kidney

##### **Glycerine:**

Species : Rat  
NOAEL : 0.167 mg/l  
LOAEL : 0.622 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 8,000 - 10,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

Species : Rabbit

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

### Ethanolamine:

Species : Rat  
NOAEL : > 120 mg/kg  
Application Route : Ingestion  
Exposure time : > 75 Days  
Remarks : Based on data from similar materials

Species : Rat  
NOAEL :  $\geq 0.15$  mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### Sodium hydroxymethanesulphinate:

Species : Rat  
NOAEL : 600 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

### Components:

#### Oxytetracycline:

Ingestion : Symptoms: Gastrointestinal disturbance, tooth discoloration  
Remarks: May cause birth defects.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
plants : Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

### Oxytetracycline:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 621 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

EC50 (Moina macrocopa (Water flea)): 126.7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Anabaena): 0.032 mg/l  
Exposure time: 72 h

NOEC (Anabaena): 0.0031 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 17.9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC (activated sludge): 0.2 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l  
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

### Ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l  
Exposure time: 41 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.85 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Sodium hydroxymethanesulphinate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 4 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### Persistence and degradability

#### Components:

##### **Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

##### **Ethanolamine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301A

##### **Sodium hydroxymethanesulphinat:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 77 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

##### **Glycerine:**

Partition coefficient: n-octanol/water : log Pow: -1.75

##### **Ethanolamine:**

Partition coefficient: n-octanol/water : log Pow: -2.3  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version 4.2      Revision Date: 12/08/2025      SDS Number: 10437521-00011      Date of last issue: 06/20/2025  
Date of first issue: 12/09/2021

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Oxytetracycline)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Oxytetracycline)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Oxytetracycline)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

N.O.S.  
(Oxytetracycline)

Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Oxytetracycline)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
CA. DSL	:	not determined
IECSC	:	not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA EV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Oxytetracycline (10%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/20/2025
4.2	12/08/2025	10437521-00011	Date of first issue: 12/09/2021

---

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/08/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8