

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

### SECTION 1. IDENTIFICATION

Product name : Fenbendazole (0.5%) Crumbles Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

#### Hazards for the product as supplied

Reproductive toxicity : Category 2

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**  
P405 Store locked up.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Calcium carbonate	471-34-1*	$\geq 0.5 - \leq 5$	TSC
Paraffin oil	8012-95-1*	$\geq 1 - \leq 5$	TSC
fenbendazole	43210-67-9*	$\geq 0.1 - \leq 1$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.  
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	12/08/2025	6116965-00015	Date of first issue: 07/17/2020

---

	Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not swallow. Avoid contact with eyes.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.  
Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL
Paraffin oil	8012-95-1	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
fenbendazole	43210-67-9	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	12/08/2025	6116965-00015	Date of first issue: 07/17/2020

---

Hand protection Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection Hygiene measures	:	Work uniform or laboratory coat. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pellets
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	12/08/2025	6116965-00015	Date of first issue: 07/17/2020

---

Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

**Calcium carbonate:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg  
LD50 (Mouse): > 10,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Calcium carbonate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Paraffin oil:

Species : Rabbit  
Result : No skin irritation

#### fenbendazole:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

### Components:

#### **Calcium carbonate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### **Paraffin oil:**

Species : Rabbit  
Result : No eye irritation

#### **fenbendazole:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### Components:

#### **Calcium carbonate:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Calcium carbonate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

#### **fenbendazole:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: in vitro test  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 405 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

### **Components:**

#### **Calcium carbonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity Parent: NOAEL: 15 mg/kg body weight  
Fertility: LOAEL: 45 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Dog, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

### Components:

#### **fenbendazole:**

Routes of exposure : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **Calcium carbonate:**

Species : Rat  
NOAEL : > 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 422

#### **Paraffin oil:**

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### **fenbendazole:**

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Kidney, Liver

Species : Rat  
NOAEL : > 2,500 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 1,600 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Exposure time : 6 Months  
Target Organs : Stomach, Nervous system, Lymph nodes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Paraffin oil:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### fenbendazole:

|| No aspiration toxicity classification

### Experience with human exposure

### Components:

#### fenbendazole:

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Calcium carbonate:

|| Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203

|| Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

|| Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

|| EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

|| Toxicity to microorganisms : NOEC: 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

|| EC50: > 1,000 mg/l

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

Exposure time: 3 h  
Method: OECD Test Guideline 209

### Paraffin oil:

- Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials
- NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### fenbendazole:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l  
Exposure time: 21 Days  
Method: OECD Test Guideline 211

### Persistence and degradability

No data available

### Bioaccumulative potential

### Components:

#### Paraffin oil:

- Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

#### fenbendazole:

- Partition coefficient: n-octanol/water : log Pow: 3.32

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

### Mobility in soil

#### Components:

#### fenbendazole:

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)

Class : 9  
Packing group : III

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version 3.1      Revision Date: 12/08/2025      SDS Number: 6116965-00015      Date of last issue: 04/14/2025  
Date of first issue: 07/17/2020

---

Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(fenbendazole)  
Remarks : Above applies only to containers over 119 gallons (450 liters)  
in case of liquids, or 882 lbs. (400 kg) in case of solids.  
Shipment by ground under DOT is non-regulated; however it  
may be shipped per the applicable hazard classification to  
facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Alfalfa Meal	Not Assigned
Standard Wheat Midds	Not Assigned
Paraffin oil	8012-95-1

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	12/08/2025	6116965-00015	Date of first issue: 07/17/2020

### California List of Hazardous Substances

Paraffin oil 8012-95-1

### California Permissible Exposure Limits for Chemical Contaminants

Calcium carbonate 471-34-1  
Paraffin oil 8012-95-1

### The ingredients of this product are reported in the following inventories:

AICS : not determined


CA. DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
OSHA Z-1 / TWA : 8-hour time weighted average

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Fenbendazole (0.5%) Crumbles Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.1	12/08/2025	6116965-00015	Date of first issue: 07/17/2020

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/08/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8