

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

### SECTION 1. IDENTIFICATION

Product name : Sulfamethoxazole / Trimethoprim Injection Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Skin corrosion : Sub-category 1B  
Serious eye damage : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (Bone marrow)  
- repeated exposure

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.  
H361d Suspected of damaging the unborn child.  
H372 Causes damage to organs (Bone marrow) through prolonged or repeated exposure.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

### Precautionary Statements

:

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P363 Wash contaminated clothing before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Components

| Chemical name    | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|------------------|-------------------|-----------------------|--------------|
| 1,3-Dioxan-5-ol  | 4740-78-7*        | >= 65 - <= 85         | TSC          |
| Sulfamethoxazole | 723-46-6*         | >= 10 - <= 30         | TSC          |
| Ethanolamine     | 141-43-5*         | >= 5 - <= 10          | TSC          |
| Trimethoprim     | 738-70-5*         | >= 1 - <= 5           | TSC          |

\* Indicates that the identifier is a CAS No.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
No information available.  
Causes serious eye damage.  
Suspected of damaging the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Causes severe burns.  
Corrosive to the respiratory tract.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO2)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

- Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

- Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components       | CAS-No.  | Value type (Form of exposure) | Control parameters / Permissible concentration     | Basis     |
|------------------|----------|-------------------------------|----------------------------------------------------|-----------|
| Sulfamethoxazole | 723-46-6 | TWA                           | OEB 2 ( $\geq 100 < 1000 \mu\text{g}/\text{m}^3$ ) | Internal  |
| Ethanolamine     | 141-43-5 | TWA                           | 3 ppm                                              | ACGIH     |
|                  |          | STEL                          | 6 ppm                                              | ACGIH     |
|                  |          | TWA                           | 3 ppm<br>8 mg/m <sup>3</sup>                       | NIOSH REL |
|                  |          | ST                            | 6 ppm<br>15 mg/m <sup>3</sup>                      | NIOSH REL |
|                  |          | TWA                           | 3 ppm<br>6 mg/m <sup>3</sup>                       | OSHA Z-1  |
| Trimethoprim     | 738-70-5 | TWA                           | 1500 $\mu\text{g}/\text{m}^3$ (OEB 1)              | Internal  |

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection  
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection  
Hygiene measures : Work uniform or laboratory coat.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : light yellow
- Odor : No data available
- Odor Threshold : No data available
- pH : 9.5 - 10.5
- Melting point/freezing point : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Initial boiling point and boiling range          | : | No data available                                        |
| Flash point                                      | : | No data available                                        |
| Evaporation rate                                 | : | No data available                                        |
| Flammability (solid, gas)                        | : | Not applicable                                           |
| Flammability (liquids)                           | : | No data available                                        |
| Upper explosion limit / Upper flammability limit | : | No data available                                        |
| Lower explosion limit / Lower flammability limit | : | No data available                                        |
| Vapor pressure                                   | : | No data available                                        |
| Relative vapor density                           | : | No data available                                        |
| Relative density                                 | : | No data available                                        |
| Density                                          | : | 1.050 - 1.230 g/cm <sup>3</sup>                          |
| Solubility(ies)<br>Water solubility              | : | No data available                                        |
| Partition coefficient: n-octanol/water           | : | Not applicable                                           |
| Autoignition temperature                         | : | No data available                                        |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity<br>Viscosity, kinematic                | : | No data available                                        |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available                                        |
| Particle characteristics<br>Particle size        | : | Not applicable                                           |

---

### SECTION 10. STABILITY AND REACTIVITY

|                    |   |                                        |
|--------------------|---|----------------------------------------|
| Reactivity         | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions.        |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

|                                    |   |                                                |
|------------------------------------|---|------------------------------------------------|
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents.        |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | Oxidizing agents<br>Acids                      |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

|                           |   |                                                                                                                    |
|---------------------------|---|--------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | Acute toxicity estimate: 4,367 mg/kg<br>Method: Calculation method                                                 |
| Acute inhalation toxicity | : | Acute toxicity estimate: 144.38 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br>Method: Calculation method |
| Acute dermal toxicity     | : | Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method                                               |

#### Components:

##### 1,3-Dioxan-5-ol:

|                       |   |                                                                            |
|-----------------------|---|----------------------------------------------------------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 5,000 mg/kg                                                  |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg<br>Remarks: Based on data from similar materials |

##### Sulfamethoxazole:

|                     |   |                           |
|---------------------|---|---------------------------|
| Acute oral toxicity | : | LD50 (Mouse): 2,300 mg/kg |
|---------------------|---|---------------------------|

##### Ethanolamine:

|                           |   |                                                                                                                                                                   |
|---------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): 1,089 mg/kg                                                                                                                                           |
| Acute inhalation toxicity | : | Acute toxicity estimate: 11 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapor<br>Method: Expert judgment<br>Remarks: Based on national or regional regulation. |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

Assessment: Not corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, female): 1,018 mg/kg

### **Trimethoprim:**

Acute oral toxicity : LD50 (Rat): 1,500 - 5,300 mg/kg

LD50 (Mouse): 1,910 - 7,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 400 - 500 mg/kg  
Application Route: Intraperitoneal

LD50 (Dog): 90 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 132 mg/kg  
Application Route: Intravenous

### **Skin corrosion/irritation**

Causes severe burns.

#### **Components:**

##### **1,3-Dioxan-5-ol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

##### **Sulfamethoxazole:**

Species : Rabbit  
Result : No skin irritation

##### **Ethanolamine:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **1,3-Dioxan-5-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

### Ethanolamine:

Species : Rabbit  
Result : Irreversible effects on the eye

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### 1,3-Dioxan-5-ol:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

#### Sulfamethoxazole:

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### Ethanolamine:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### Trimethoprim:

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 1,3-Dioxan-5-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

Genotoxicity in vivo      :      Result: negative  
:      Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative  
Remarks: Based on data from similar materials

### **Sulfamethoxazole:**

Genotoxicity in vitro      :      Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo      :      Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Humans  
Result: negative

### **Ethanolamine:**

Genotoxicity in vitro      :      Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo      :      Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### **Trimethoprim:**

Genotoxicity in vitro      :      Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 70 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 70 mg/kg body weight  
Result: Effects on newborn.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 70 mg/kg body weight  
Result: Embryotoxic effects.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 15 mg/kg body weight  
Result: Embryotoxic effects., Teratogenic effects.

Test Type: Development  
Species: Hamster  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1.7 mg/kg body weight  
Result: Embryotoxic effects., No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects., No teratogenic effects.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### **STOT-single exposure**

Corrosive to the respiratory tract.

### **Components:**

### **Ethanolamine:**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Causes damage to organs (Bone marrow) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

### Components:

#### **Ethanolamine:**

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

#### **Trimethoprim:**

Target Organs : Bone marrow  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **Ethanolamine:**

Species : Rat  
NOAEL : > 120 mg/kg  
Application Route : Ingestion  
Exposure time : > 75 Days  
Remarks : Based on data from similar materials

Species : Rat  
NOAEL : >= 0.15 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

#### **Trimethoprim:**

Species : Rat  
NOAEL : 100 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

Species : Rat  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Bone marrow

Species : Dog  
NOAEL : 2.5 mg/kg  
LOAEL : 45 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Blood, Thyroid

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Trimethoprim:

Ingestion : Target Organs: Bone marrow  
Symptoms: Abdominal pain, Nausea, Vomiting, skin rash,  
Dizziness, Headache, mental depression, confusion

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### 1,3-Dioxan-5-ol:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

#### Sulfamethoxazole:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 562.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0.21 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Synechococcus leopoliensis (blue-green algae)): 0.0268 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

NOEC (*Synechococcus leopoliensis* (blue-green algae)):  
0.0059 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (*Danio rerio* (zebra fish)): 0.533 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.01 mg/l  
Exposure time: 30 d

Toxicity to microorganisms : NOEC (activated sludge): 3.76 mg/l  
Method: OECD Test Guideline 301D

### Ethanolamine:

Toxicity to fish : LC50 (*Cyprinus carpio* (Carp)): 349 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 65 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 2.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Orange-red killifish)): 1.24 mg/l  
Exposure time: 41 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.85 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Trimethoprim:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* Straus (Water flea)): 92 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 80.3

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

|                                                                        |   |                                                                                                                    |
|------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------|
| plants                                                                 |   | mg/l<br>Exposure time: 72 h                                                                                        |
|                                                                        |   | NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l<br>Exposure time: 72 h                               |
|                                                                        |   | EC50 (Anabaena flos-aquae): 253 mg/l<br>Exposure time: 72 h                                                        |
|                                                                        |   | EC10 (Anabaena flos-aquae): 26 mg/l<br>Exposure time: 72 h                                                         |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Zebrafish): 0.157 mg/l<br>Exposure time: 21 d                                                                |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 6 mg/l<br>Exposure time: 21 d                                                   |
| Toxicity to microorganisms                                             | : | EC10: 16.7 mg/l<br>Exposure time: 3 hrs<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209    |
|                                                                        |   | EC50: > 1,000 mg/l<br>Exposure time: 3 hrs<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209 |

### Persistence and degradability

#### Components:

##### **1,3-Dioxan-5-ol:**

Biodegradability : Result: Inherently biodegradable.  
Remarks: Based on data from similar materials

##### **Sulfamethoxazole:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **Ethanolamine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301A

##### **Trimethoprim:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

Result: Not inherently biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B

### Bioaccumulative potential

#### Components:

##### **1,3-Dioxan-5-ol:**

Partition coefficient: n-octanol/water : log Pow: -0.65

##### **Sulfamethoxazole:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 120

Partition coefficient: n-octanol/water : log Pow: 0.89

##### **Ethanolamine:**

Partition coefficient: n-octanol/water : log Pow: -2.3  
Method: OECD Test Guideline 107

##### **Trimethoprim:**

Partition coefficient: n-octanol/water : log Pow: 0.91

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

Version 5.1      Revision Date: 02/24/2026      SDS Number: 7848267-00013      Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

---

### UNRTDG

UN number : UN 2491  
Proper shipping name : ETHANOLAMINE SOLUTION  
Class : 8  
Packing group : III  
Labels : 8  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 2491  
Proper shipping name : Ethanolamine solution  
Class : 8  
Packing group : III  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 856  
Packing instruction (passenger aircraft) : 852

### IMDG-Code

UN number : UN 2491  
Proper shipping name : ETHANOLAMINE SOLUTION  
(Sulfamethoxazole)  
Class : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 2491  
Proper shipping name : Ethanolamine solutions  
Class : 8  
Packing group : III  
Labels : CORROSIVE  
ERG Code : 153  
Marine pollutant : yes(Sulfamethoxazole)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

|                  |           |
|------------------|-----------|
| 1,3-Dioxan-5-ol  | 4740-78-7 |
| Sulfamethoxazole | 723-46-6  |
| Water            | 7732-18-5 |
| Ethanolamine     | 141-43-5  |
| Trimethoprim     | 738-70-5  |

#### California List of Hazardous Substances

|                  |          |
|------------------|----------|
| Sulfamethoxazole | 723-46-6 |
| Ethanolamine     | 141-43-5 |

#### California Permissible Exposure Limits for Chemical Contaminants

|              |          |
|--------------|----------|
| Ethanolamine | 141-43-5 |
|--------------|----------|

#### The ingredients of this product are reported in the following inventories:

CA. DSL : not determined

AICS : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation


Version  
5.1

Revision Date:  
02/24/2026

SDS Number:  
7848267-00013

Date of last issue: 12/08/2025  
Date of first issue: 03/03/2021

### NFPA 704:



### HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | * | 3 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

|                 |   |                                                                                           |
|-----------------|---|-------------------------------------------------------------------------------------------|
| ACGIH           | : | USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : | USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA Z-1        | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : | 8-hour, time-weighted average                                                             |
| ACGIH / STEL    | : | Short-term exposure limit                                                                 |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| NIOSH REL / ST  | : | STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday    |
| OSHA Z-1 / TWA  | : | 8-hour time weighted average                                                              |

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Sulfamethoxazole / Trimethoprim Injection Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 12/08/2025  |
| 5.1     | 02/24/2026     | 7848267-00013 | Date of first issue: 03/03/2021 |

---

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 02/24/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8