

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

SECTION 1. IDENTIFICATION

Product name : Deltamethrin (3%) Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitization : Sub-category 1A
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 3
- single exposure
Specific target organ toxicity : Category 1 (Central nervous system, Immune system)
- repeated exposure (Oral)
Specific target organ toxicity : Category 1 (Central nervous system)
- repeated exposure
(Inhalation)
Specific target organ toxicity : Category 2 (Auditory system)
- repeated exposure
Aspiration hazard : Category 1

GHS label elements

Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Hazard pictograms :    

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
H373 May cause damage to organs (Auditory system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.
P331 Do NOT induce vomiting.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Xylene	Benzene, dimethyl-	1330-20-7	$\geq 80 - < 100$ *
Calcium dodecylbenzenesulphonate	Benzenesulfonic acid, dodecyl-, calcium salt (2:1)	26264-06-2	$\geq 5 - < 10$ *
Nonylphenol, ethoxylated	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	$\geq 5 - < 10$ *
Deltamethrin (ISO)	No data available	52918-63-5	$\geq 1 - < 5$ *
2,6-Di-tert-butyl-p-cresol	Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause respiratory irritation.
Suspected of damaging fertility. Suspected of damaging the unborn child.
Causes damage to organs through prolonged or repeated exposure if swallowed.
Causes damage to organs through prolonged or repeated exposure if inhaled.
May cause damage to organs through prolonged or repeated exposure.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Bromine compounds
Metal oxides
Sulfur compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE
-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

- Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.
: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.
: Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
: Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases
Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Xylene	1330-20-7	TWA	100 ppm	CA AB OEL

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

			434 mg/m ³	
		STEL	150 ppm 651 mg/m ³	CA AB OEL
		TWAEV	100 ppm 434 mg/m ³	CA QC OEL
		STEV	150 ppm 651 mg/m ³	CA QC OEL
		TWA	100 ppm	CA BC OEL
		STEL	150 ppm	CA BC OEL
		TWA	20 ppm	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m ³	CA AB OEL
		TWA (Vapour and inhalable aerosols)	2 mg/m ³	CA BC OEL
		TWAEV (inhalable fraction and vapour)	2 mg/m ³	CA QC OEL
		TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g creatinine	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.
Use explosion-proof electrical, ventilating and lighting equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : yellow
- Odor : No data available
- Odor Threshold : No data available
- pH : 4 - 5
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

Flash point	:	45 - 51 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 993.39 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

Components:

Xylene:

Acute oral toxicity	:	LD50 (Rat): 3,523 mg/kg Method: Directive 67/548/EEC, Annex V, B.1.
Acute inhalation toxicity	:	LC50 (Rat): 27.571 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rabbit): > 4,200 mg/kg

Calcium dodecylbenzenesulphonate:

Acute oral toxicity	:	LD50 (Rat): > 500 - 2,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Acute oral toxicity	:	LD50 (Rat): 500 - 2,000 mg/kg
---------------------	---	-------------------------------

Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg
LD50 (Rat): 9 - 139 mg/kg
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg
Application Route: Intravenous
LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Xylene:

Species : Rabbit
Result : Skin irritation

Calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Deltamethrin (ISO):

Species : Rabbit
Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Xylene:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Calcium dodecylbenzenesulphonate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Deltamethrin (ISO):

Species : Rabbit
Result : Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Components:

Xylene:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Calcium dodecylbenzenesulphonate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Deltamethrin (ISO):

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : negative

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Dermal
Species : Humans
Result : positive

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Skin contact
Result: negative

Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Concentration: LOAEL: 20 mg/kg
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: dominant lethal test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Xylene:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Deltamethrin (ISO):

Species : Mouse, male and female
Application Route : oral (feed)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Exposure time : 104 weeks
NOAEL : 8 mg/kg body weight
LOAEL : 4 mg/kg body weight
Result : positive
Target Organs : Lymph nodes

Species : Rat, male and female
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female
Application Route : oral (feed)
Exposure time : 2 Years
NOAEL : 1 mg/kg body weight
Result : negative

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapor)
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: inhalation (vapor)
Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
Early Embryonic Development: NOAEL: 50 mg/kg body weight
Symptoms: No effects on fertility., Embryo-fetal toxicity.
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 1 mg/kg body weight
Symptoms: Effects on fertility.
Target Organs: Testes

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on fetal development.

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)
Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

May cause respiratory irritation.

Components:

Xylene:

Assessment : May cause respiratory irritation.

Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

May cause damage to organs (Auditory system) through prolonged or repeated exposure.

Components:

Xylene:

Routes of exposure : inhalation (vapor)

Target Organs : Auditory system

Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

Calcium dodecylbenzenesulphonate:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Deltamethrin (ISO):

Routes of exposure : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated exposure.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Xylene:

Species : Rat
LOAEL : > 0.2 - 1 mg/l
Application Route : inhalation (vapor)
Exposure time : 13 Weeks
Remarks : Based on data from similar materials

Species : Rat
LOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Calcium dodecylbenzenesulphonate:

Species : Rat
LOAEL : > 200 mg/kg
Application Route : Ingestion
Exposure time : 6 - 7 Weeks
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Species : Rabbit
NOAEL : > 100 mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410
Remarks : Based on data from similar materials

Deltamethrin (ISO):

Species : Rat, male and female
NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat
LOAEL : 3 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 wk / 5 d/wk / 6 h/d
Symptoms : Local irritation, respiratory tract irritation

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat
NOAEL : 14 mg/kg
LOAEL : 54 mg/kg
Application Route : Oral
Exposure time : 91 d
Target Organs : Nervous system

Species : Mouse
LOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 12 Weeks
Target Organs : Immune system
Symptoms : immune system effects

2,6-Di-tert-butyl-p-cresol:

Species : Rat
NOAEL : 25 mg/kg
Application Route : Ingestion
Exposure time : 22 Months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion : Symptoms: muscle pain, Small pupils

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Xylene:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 10 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials
- Toxicity to microorganisms : NOEC: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Calcium dodecylbenzenesulphonate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l
Exposure time: 100 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

Deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l
Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l
Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l
Exposure time: 260 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l
Exposure time: 21 d
- 2,6-Di-tert-butyl-p-cresol:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50: > 10,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Xylene:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Xylene:

Partition coefficient: n-octanol/water : log Pow: 3.16
Remarks: Calculation

Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.77
Remarks: Calculation

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

2,6-Di-tert-butyl-p-cresol:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

Mobility in soil

Components:

Deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Xylene)
Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(Xylene)
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

IMDG-Code

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Xylene, Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Xylene)
Class	: 3
Packing group	: III
Labels	: 3
ERG Code	: 128
Marine pollutant	: yes(Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
IECSC	: not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version 3.2 Revision Date: 12/08/2025 SDS Number: 7730560-00012 Date of last issue: 06/17/2025
Date of first issue: 01/13/2021

CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/08/2025
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	7730560-00012	Date of first issue: 01/13/2021

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8