

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

SECTION 1. IDENTIFICATION

Product name : Fenbendazole (10%) Aqueous Solution (NZ)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Reproductive toxicity : Category 2
Specific target organ toxicity : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
fenbendazole	43210-67-9*	$\geq 7 - \leq 13$	TSC
Silicon dioxide	7631-86-9*	$\geq 1 - \leq 5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe the mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Internal
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Aqueous solution
- Color : white
off-white
- Odor : No data available
- Odor Threshold : No data available
- pH : 6.0 - 7.0
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	50 - 300 mm ² /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: 175 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
LD50 (Mouse): > 10,000 mg/kg

Silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5,110 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted according to guideline

Acute inhalation toxicity : LC50 (Rat): > 5.198 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: No test guideline followed

Skin corrosion/irritation

Not classified based on available information.

Components:

fenbendazole:

Species : Rabbit
Result : No skin irritation

Silicon dioxide:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : The test was conducted according to guideline

Serious eye damage/eye irritation

Not classified based on available information.

Components:

fenbendazole:

Species : Rabbit
Result : No eye irritation

Silicon dioxide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : The test was conducted equivalent or similar to guideline

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Silicon dioxide:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : The test was conducted according to guideline

Germ cell mutagenicity

Not classified based on available information.

Components:

fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Result: negative

Test Type: Chromosomal aberration
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Test Type: in vitro test
Test system: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: equivocal

Silicon dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Carcinogenicity

Not classified based on available information.

Components:

fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
NOAEL : 405 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 5 mg/kg body weight
Result : negative
Target Organs : Lymph nodes, Liver

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Silicon dioxide:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative
Remarks : No test guideline followed

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
General Toxicity Parent: NOAEL: 15 mg/kg body weight
Fertility: LOAEL: 45 mg/kg body weight
Result: Effects on fertility.

Effects on fetal development : Test Type: Development
Species: Dog, female
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: Fetotoxicity.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 120 mg/kg body weight
Result: No effects on fetal development.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Silicon dioxide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: The test was conducted according to guideline

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted according to guideline

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:

fenbendazole:

Routes of exposure : Ingestion
Target Organs : Liver, Stomach, Nervous system, Lymph nodes
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

fenbendazole:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat
NOAEL : > 2,500 mg/kg
Application Route : Oral
Exposure time : 30 Days
Remarks : No significant adverse effects were reported

Species : Rat

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

LOAEL : 1,600 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Central nervous system
Symptoms : Tremors

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Exposure time : 6 Months
Target Organs : Stomach, Nervous system, Lymph nodes

Silicon dioxide:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 26 Weeks
Method : OECD Test Guideline 408
Remarks : The test was conducted equivalent or similar to guideline

Species : Rat
NOAEL : > 2,000 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks
Method : OECD Test Guideline 411
Remarks : The test was conducted according to guideline

Aspiration toxicity

Not classified based on available information.

Components:

fenbendazole:

No aspiration toxicity classification

Experience with human exposure

Components:

fenbendazole:

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

fenbendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l
Exposure time: 21 Days
Method: OECD Test Guideline 211

Silicon dioxide:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline

NOELR (Desmodesmus subspicatus (green algae)): 10,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 132.7 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 211
Remarks: The test was conducted according to guideline

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The test was conducted according to guideline

Persistence and degradability

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

Bioaccumulative potential

Components:

fenbendazole:

Partition coefficient: n-octanol/water : log Pow: 3.32

Mobility in soil

Components:

fenbendazole:

Distribution among environmental compartments : log Koc: 3.8 - 4.7
Method: FDA 3.08

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(fenbendazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10776669-00009 Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(fenbendazole)
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
fenbendazole	43210-67-9
Sodium citrate, dihydrate	6132-04-3
Silicon dioxide	7631-86-9
Sodium hydroxide	1310-73-2

California List of Hazardous Substances

Silicon dioxide	7631-86-9
Polyvinyl pyrrolidone	9003-39-8

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide	7631-86-9
-----------------	-----------

The ingredients of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)


Version
4.2

Revision Date:
01/21/2026

SDS Number:
10776669-00009

Date of last issue: 12/08/2025
Date of first issue: 06/03/2022

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fenbendazole (10%) Aqueous Solution (NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10776669-00009	Date of first issue: 06/03/2022

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/21/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8