

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

SECTION 1. IDENTIFICATION

Product name : Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4
Respiratory sensitization : Sub-category 1B
Skin sensitization : Sub-category 1B
Germ cell mutagenicity : Category 2
Carcinogenicity : Category 2
Reproductive toxicity : Category 2
Specific target organ toxicity - repeated exposure : Category 1 (Respiratory Tract, Thyroid, Heart, Blood)
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Blood, Testis)

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.
H373 May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P342 + P311 If experiencing respiratory symptoms: Call a doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Levamisole hydrochloride	No data available	16595-80-5	$\geq 5 - < 10$ *
Cobalt disodium ethylenediaminetetraacetate	No data available	15137-09-4	$\geq 1 - < 5$ *
Benzyl alcohol	Benzenemethanol	100-51-6	$\geq 1 - < 5$ *
Citric acid	2-hydroxypropane-1,2,3-tricarboxylic acid	77-92-9	$\geq 1 - < 5$ *
Sodium selenate	No data available	13410-01-0	$\geq 0.1 - < 1$ *
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	No data available	71751-41-2	$\geq 0.1 - < 0.5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Suspected of causing genetic defects.
Suspected of causing cancer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10813899-00010	Date of first issue: 07/12/2022

		Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). No information available.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Oxides of phosphorus Cobalt compounds Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm ²	Internal
Sodium selenate	13410-01-0	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m ³ (selenium)	CA AB OEL
		TWAEV	0.2 mg/m ³ (selenium)	CA QC OEL
		TWA	0.1 mg/m ³ (selenium)	CA BC OEL
		TWA	0.2 mg/m ³ (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Skin and body protection : potential for direct contact to the face with dusts, mists, or aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Product:

Acute oral toxicity : Acute toxicity estimate: 935.59 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg
LD50 (Mouse): 223 mg/kg
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg
LD50 (Mouse): 10 mg/kg
LDLo (Monkey): 24 mg/kg
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg
LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium selenate:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Citric acid:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Sodium selenate:

Species : Bovine cornea
Method : OECD Test Guideline 437

Result : No eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : Mild eye irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)
Species : Humans
Result : positive
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitization rate in humans

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximization Test
Routes of exposure : Skin contact
Result : Not a skin sensitizer.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Cobalt disodium ethylenediaminetetraacetate:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive
Remarks: Based on data from similar materials
- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials
- Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
Remarks: Based on data from similar materials
- Benzyl alcohol:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
- Citric acid:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Alkaline elution assay
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 80 mg/kg body weight
Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Exposure time : 2 Years
NOAEL : 40 mg/kg body weight
Remarks : No significant adverse effects were reported

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Species : Mouse
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies
Remarks: Based on data from similar materials

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight
Result: Fetotoxicity.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.
Remarks: Based on data from similar materials

Benzyl alcohol:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight
Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight
Result: Cleft palate
Remarks: Adverse developmental effects were observed

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: Cleft palate, Teratogenic effects., Reduced embryonic survival
Remarks: Adverse developmental effects were observed

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight
Result: Teratogenic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

Components:

Levamisole hydrochloride:

Target Organs : Blood, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks : Based on data from similar materials

Routes of exposure : Ingestion
Target Organs : Thyroid, Heart, Blood
Assessment : Shown to produce significant health effects in animals at con-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Remarks : concentrations of >10 to 100 mg/kg bw.
: Based on data from similar materials

Sodium selenate:

Routes of exposure : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Levamisole hydrochloride:

Species : Rat
NOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Species : Rat
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Species : Mouse
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Citric acid:

Species : Rat
NOAEL : 4,000 mg/kg
LOAEL : 8,000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Mouse
NOAEL : 4.0 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Central nervous system
Symptoms : Tremors, weight loss

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Remarks : mortality observed

Species : Monkey
NOAEL : 1.0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system
Remarks: Based on data from similar materials

Ingestion : Target Organs: Blood
Remarks: Based on data from similar materials
Target Organs: Heart
Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): > 1 mg/l
Exposure time: 34 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

aquatic invertebrates	Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l Exposure time: 96 h NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	: NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l Exposure time: 258 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC10 (activated sludge): 590 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): 42 µg/l Exposure time: 96 h LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): 0.022 µg/l Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 0.34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l Exposure time: 32 d
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): 0.03 µg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Cobalt disodium ethylenediaminetetraacetate:

Partition coefficient: n-octanol/water : log Pow: -3.86
Remarks: Calculation

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3.6

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
IECSC : not determined

Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.2 Revision Date: 01/21/2026 SDS Number: 10813899-00010 Date of last issue: 12/08/2025
Date of first issue: 07/12/2022

CA BC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA QC OEL / TWA EV : Time-weighted average exposure value

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/21/2026
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10813899-00010	Date of first issue: 07/12/2022

shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8