

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

---

### SECTION 1. IDENTIFICATION

Product name : Chlorhexidine (0.8%) Liquid Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

#### Hazards for the product as supplied

Serious eye damage : Category 1

Skin sensitization : Category 1

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, eye protection and face protection.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Nonylphenol, ethoxylated	9016-45-9*	$\geq 1 - \leq 5$	TSC
Pine oil	8002-09-3*	$\geq 1 - \leq 5$	TSC
Chlorhexidine	55-56-1*	$\geq 0.5 - \leq 1.5$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye damage. Corrosive to the respiratory tract. No information available.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chlorhexidine	55-56-1	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, Hazy, yellow

Odor : pine

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

##### **Pine oil:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

##### **Chlorhexidine:**

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg  
LD50 Oral (Rabbit): 1,100 mg/kg  
LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg  
Application Route: Intravenous

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Pine oil:**

Species : Rabbit  
Result : Skin irritation  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

---

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

##### **Pine oil:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Remarks : Based on data from similar materials  
  
Result : No eye irritation

##### **Chlorhexidine:**

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitization

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

#### Components:

##### **Nonylphenol, ethoxylated:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

##### **Pine oil:**

Assessment : Probability or evidence of skin sensitization in humans  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Nonylphenol, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

---

Remarks: Based on data from similar materials

### Pine oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OPPTS 870.5550  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OPPTS 870.5395  
Result: negative  
Remarks: Based on data from similar materials

### Chlorhexidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse  
Result: negative

Test Type: Cytogenetic assay  
Species: Hamster  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Chlorhexidine:

Species : Rat  
Application Route : oral (drinking water)  
Exposure time : 2 Years  
Frequency of Treatment : daily  
NOAEL : 38 mg/kg body weight  
Result : negative

Species : Rat

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

Application Route : oral (drinking water)  
Exposure time : 2 Years  
Frequency of Treatment : daily  
NOAEL : 158 mg/kg body weight  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Pine oil:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

#### **Chlorhexidine:**

Effects on fertility : Species: Rat  
Fertility: NOAEL: 100 mg/kg body weight

Effects on fetal development : Species: Rat  
Developmental Toxicity: NOAEL: 300 mg/kg body weight

Species: Rabbit  
Developmental Toxicity: NOAEL: 40 mg/kg body weight

### STOT-single exposure

Corrosive to the respiratory tract.

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### **Chlorhexidine:**

Target Organs : Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version 4.2      Revision Date: 01/21/2026      SDS Number: 10863768-00012      Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

---

### Repeated dose toxicity

#### Components:

##### **Pine oil:**

Species : Rat  
NOAEL : > 200 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

##### **Chlorhexidine:**

Species : Rat  
NOAEL : 158 mg/kg  
Application Route : Oral  
Exposure time : 2 y

Species : Rabbit  
LOAEL : 250 mg/kg  
Application Route : Dermal  
Exposure time : 13 Weeks  
Target Organs : Skin, Liver

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **Pine oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Components:

##### **Chlorhexidine:**

General Information : Symptoms: Headache  
Inhalation : Target Organs: Lungs  
Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection  
Ingestion : Target Organs: Gastrointestinal tract  
Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Nonylphenol, ethoxylated:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### Pine oil:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### Chlorhexidine:

Toxicity to fish : (Fish): 2.088 mg/l  
Exposure time: 96 h  
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.222 mg/l  
Exposure time: 48 h  
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l  
End point: Growth rate  
Exposure time: 96 hrs

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

Method: ECOSAR (Ecological Structure Activity Relationships)

### Persistence and degradability

#### Components:

##### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **Pine oil:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### **Chlorhexidine:**

Biodegradability : Remarks: Not inherently biodegradable.

### Bioaccumulative potential

#### Components:

##### **Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

##### **Pine oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

##### **Chlorhexidine:**

Partition coefficient: n-octanol/water : log Pow: 4.85

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorhexidine, Nonylphenol, ethoxylated)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorhexidine, Nonylphenol, ethoxylated)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Chlorhexidine, Nonylphenol, ethoxylated)  
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.  
Shipment by ground under DOT is non-regulated; however it

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Nonylphenol, ethoxylated	9016-45-9	>= 1 - < 5 %
--------------------------	-----------	--------------

### US State Regulations

#### Pennsylvania Right To Know

Water	7732-18-5
Nonylphenol, ethoxylated	9016-45-9

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation


Version  
4.2

Revision Date:  
01/21/2026

SDS Number:  
10863768-00012

Date of last issue: 12/08/2025  
Date of first issue: 10/11/2022

### NFPA 704:



### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/08/2025
4.2	01/21/2026	10863768-00012	Date of first issue: 10/11/2022

---

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/21/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8