

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

SECTION 1. IDENTIFICATION

Product name : Kanamycin Acid Sulfate Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Specific target organ toxicity : Category 1 (Auditory system)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H372 Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:
P314 Get medical attention if you feel unwell.

Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|------------------------|-------------------|-----------------------|--------------|
| Kanamycin acid sulfate | 64013-70-3* | >= 10 - <= 30 | TSC |
| Phenol | 108-95-2* | >= 0.1 - <= 1 | TSC |

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes damage to organs through prolonged or repeated exposure if swallowed.
No information available.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/17/2025 |
| 4.2 | 12/08/2025 | 11272711-00007 | Date of first issue: 09/18/2023 |

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure
-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------------|------------|-------------------------------|--|-----------|
| Kanamycin acid sulfate | 64013-70-3 | TWA | 100 µg/m ³ (OEB 2) | Internal |
| Phenol | 108-95-2 | TWA | 5 ppm | ACGIH |
| | | TWA | 5 ppm 19 mg/m ³ | NIOSH REL |
| | | C | 15.6 ppm 60 mg/m ³ | NIOSH REL |
| | | TWA | 5 ppm 19 mg/m ³ | OSHA Z-1 |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|------------|----------|--------------------|---------------------|--|---------------------------|-----------|
| Phenol | 108-95-2 | Phenol | Urine | End of shift (As soon as possible after exposure ceases) | 250 mg/g creatinine | ACGIH BEI |

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection
Hygiene measures : Work uniform or laboratory coat.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : characteristic

Odor Threshold : No data available

pH : 3.5 - 5.5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/17/2025 |
| 4.2 | 12/08/2025 | 11272711-00007 | Date of first issue: 09/18/2023 |

| | | |
|--|---|--|
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | 1.05 - 1.10 g/cm ³ |
| Solubility(ies) | : | |
| Water solubility | : | soluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | : | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle characteristics | : | |
| Particle size | : | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Kanamycin acid sulfate:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg
LD50 (Mouse): 12,000 mg/kg
LD50 (Rabbit): > 3,000 mg/kg

Phenol:

Acute oral toxicity : LD50 (Rat): 68 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline

Acute toxicity estimate (Humans): 140 - 290 mg/kg
Method: Expert judgment

Acute inhalation toxicity : Acute toxicity estimate (Rat): > 0.5 - 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit, female): 660 mg/kg
Method: OECD Test Guideline 402
Remarks: The test was conducted equivalent or similar to guideline

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/17/2025 |
| 4.2 | 12/08/2025 | 11272711-00007 | Date of first issue: 09/18/2023 |

Skin corrosion/irritation

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Remarks : No data available

Phenol:

Result : Corrosive after 3 minutes to 1 hour of exposure
Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Remarks : No data available

Phenol:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405
Remarks : The test was conducted equivalent or similar to guideline

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Test Type : Maximization Test
Species : Guinea pig
Assessment : Did not cause sensitization on laboratory animals.
Result : negative

Phenol:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Germ cell mutagenicity

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: mitotic recombination assay
Test system: Escherichia coli
Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Result: negative

Phenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline

Test Type: in vitro micronucleus test
Method: OECD Test Guideline 487
Result: positive
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: positive
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Transgenic rodent somatic cell gene mutation assay
Species: Mouse
Application Route: Ingestion

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Method: OECD Test Guideline 488
Result: negative
Remarks: The test was conducted according to guideline

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Phenol:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Intravenous injection
Developmental Toxicity: 100 mg/kg body weight
Symptoms: No adverse effects.

Test Type: reproductive and developmental toxicity study
Application Route: Intravenous injection
Developmental Toxicity: NOAEL: 400 mg/kg body weight
Symptoms: No adverse effects.
Target Organs: Auditory system

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Result: Post-natal toxicity

Test Type: Reproduction/Developmental toxicity screening test

Species: Guinea pig

Application Route: Intramuscular

Developmental Toxicity: NOAEL: > 100 mg/kg body weight

Target Organs: Auditory system

Remarks: Significant toxicity observed in testing

Phenol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.

Components:

Kanamycin acid sulfate:

Routes of exposure : Oral
Target Organs : Auditory system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Phenol:

Target Organs : Central nervous system, Kidney, Liver
Assessment : May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Repeated dose toxicity

Components:

Kanamycin acid sulfate:

Species : Rat
LOAEL : TDLo = 12000 mg/kg
Application Route : Intraperitoneal
Exposure time : 30 d
Target Organs : Kidney, Ureter, Bladder
Remarks : Significant toxicity observed in testing

Species : Dog
LOAEL : TDLo= 6500 mg/kg
Application Route : Subcutaneous
Exposure time : 17 d
Target Organs : Auditory system, Eye, Kidney, olfactory sense organs
Remarks : Significant toxicity observed in testing

Species : Guinea pig
NOAEL : 100 mg/kg
LOAEL : > 200 mg/kg
Application Route : Intramuscular
Exposure time : 4 Weeks
Target Organs : Auditory system
Remarks : Significant toxicity observed in testing

Species : Rabbit, male
LOAEL : > 50 mg/kg
Application Route : Intramuscular
Exposure time : 30 d
Target Organs : Auditory system, Kidney
Remarks : Significant toxicity observed in testing

Phenol:

Species : Rat
LOAEL : > 10 - 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : > 0.2 - 1 mg/l
Application Route : inhalation (vapor)
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Kanamycin acid sulfate:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

General Information : Target Organs: Auditory system
Symptoms: Abdominal pain, altered taste, Dizziness
Remarks: The most common side effects are:
Target Organs: Kidney
Symptoms: Vomiting, skin rash, numbness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Kanamycin acid sulfate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.74 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.31 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.03 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.01 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 461 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 4.9 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic organisms.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Phenol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.9 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.1 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50: 76 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.077 mg/l
Exposure time: 60 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.05 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: The test was conducted according to guideline
- Toxicity to microorganisms : EC50 (Nitrosomonas sp.): 21 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

Kanamycin acid sulfate:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Phenol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 62 %
Exposure time: 4 d
Method: OECD Test Guideline 301C
Remarks: The test was conducted according to guideline
- Biodegradation Simulation Tests : Environmental Compartment: Estuarine water
Value type: DT50
Value: 15 d
- Environmental Compartment: Soil
Value type: DT50
Value: 7 d

Bioaccumulative potential

Components:

Phenol:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 17.5
Method: OECD Test Guideline 305
Remarks: The test was conducted equivalent or similar to guideline

Partition coefficient: n-octanol/water : log Pow: 1.47

Mobility in soil

Components:

Phenol:

Distribution among environmental compartments : log Koc: 1.15
Method: OECD Test Guideline 106
Remarks: The test was conducted according to guideline

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passen-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

ger aircraft)
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Kanamycin acid sulfate)
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|-----------|--------------------|-----------------------------|
| Sulphuric acid | 7664-93-9 | 1000 | 200000 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|-----------|--------------------|-----------------------------|
| Sulphuric acid | 7664-93-9 | 1000 | 200000 |

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.2 Revision Date: 12/08/2025 SDS Number: 11272711-00007 Date of last issue: 06/17/2025
Date of first issue: 09/18/2023

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

| | |
|------------------------|------------|
| Water | 7732-18-5 |
| Kanamycin acid sulfate | 64013-70-3 |
| Sulphuric acid | 7664-93-9 |
| Phenol | 108-95-2 |

The ingredients of this product are reported in the following inventories:

AICS : not determined


CA. DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

| | | |
|-----------------|---|---|
| HEALTH | * | 3 |
| FLAMMABILITY | | 1 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/17/2025 |
| 4.2 | 12/08/2025 | 11272711-00007 | Date of first issue: 09/18/2023 |

| | | |
|-----------------|---|---|
| ACGIH / TWA | : | 8-hour, time-weighted average |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| NIOSH REL / C | : | Ceiling value not be exceeded at any time. |
| OSHA Z-1 / TWA | : | 8-hour time weighted average |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| | | |
|--|---|---|
| Sources of key data used to compile the Material Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/ |
|--|---|---|

| | | |
|---------------|---|------------|
| Revision Date | : | 12/08/2025 |
|---------------|---|------------|

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/17/2025 |
| 4.2 | 12/08/2025 | 11272711-00007 | Date of first issue: 09/18/2023 |

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8