

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

### SECTION 1. IDENTIFICATION

Product name : Diazinon (47%) Liquid Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Category 1  
Germ cell mutagenicity : Category 1B  
Carcinogenicity : Category 1B  
Specific target organ toxicity : Category 1 (Nervous system)  
- single exposure  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 2 (Nervous system, nasal cavity)  
- repeated exposure  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

**Hazard Statements** : H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H370 Causes damage to organs (Nervous system).  
H373 May cause damage to organs (Nervous system, nasal cavity) through prolonged or repeated exposure.

**Precautionary Statements** : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P311 IF exposed or concerned: Call a doctor.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**  
None known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Diazinon	Phosphorothioic acid, O,O-diethyl O-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl] ester	333-41-5	$\geq 30 - < 60$ *
Solvent naphtha (petroleum), light aromatic	No data available	64742-95-6	$\geq 10 - < 30$ *
4-Nonylphenol, branched, ethoxylated	Poly(oxy-1,2-ethanediyl), $\alpha$ -(4-nonylphenyl)- $\omega$ -hydroxy-, branched	127087-87-0	$\geq 10 - < 30$ *
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	3,4-Epoxyhexahydro-2H-pyridine-2-ylmethyl 3,4-epoxyhexahydro-2H-pyridine-2-carboxylate	2386-87-0	$\geq 5 - < 10$ *

\* Actual concentration or concentration range is withheld as a trade secret

#### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
4-Nonylphenol, branched, ethoxylated	68412-54-4

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

Most important symptoms and effects, both acute and delayed	:	If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. No information available.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides Oxides of phosphorus
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal
---	---	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

- gency procedures                      protective equipment recommendations (see section 8).
- Environmental precautions      :    Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up      :    Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures                      :    See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation                :    If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling                :    Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage            :    Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid                      :    Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diazinon	333-41-5	TWA	0.01 mg/m <sup>3</sup>	CA AB OEL
		TWA (Vapour and inhalable aerosols)	0.01 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (inhalable fraction and vapour)	0.01 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable fraction and vapor)	0.01 mg/m <sup>3</sup>	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	CA AB OEL

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Diazinon	333-41-5	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Filter type : Combined particulates and organic vapor type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,206 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Diazinon:**

Acute oral toxicity : LD50 (Rat): 1,139 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.437 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,020 mg/kg

##### **Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **4-Nonylphenol, branched, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity : LD50 (Rat, male): > 2,959 - 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5.19 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Components:**

##### **Diazinon:**

Species : Rabbit  
Result : Mild skin irritation

##### **Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Components:**

##### **Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

##### **4-Nonylphenol, branched, ethoxylated:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Diazinon:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

##### Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

##### 4-Nonylphenol, branched, ethoxylated:

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Result : negative  
Remarks : Based on data from similar materials

##### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

#### Germ cell mutagenicity

May cause genetic defects.

#### Components:

##### Diazinon:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Solvent naphtha (petroleum), light aromatic:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermatogonia  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

### **4-Nonylphenol, branched, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **Diazinon:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### **4-Nonylphenol, branched, ethoxylated:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 29 Months

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Diazinon:**

Effects on fertility : Test Type: Three-generation study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Solvent naphtha (petroleum), light aromatic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **STOT-single exposure**

May cause drowsiness or dizziness.  
Causes damage to organs (Nervous system).

### Components:

#### **Diazinon:**

Routes of exposure : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

#### **Solvent naphtha (petroleum), light aromatic:**

Assessment : May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

### STOT-repeated exposure

May cause damage to organs (Nervous system, nasal cavity) through prolonged or repeated exposure.

#### Components:

##### **Diazinon:**

Routes of exposure : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Routes of exposure : Ingestion  
Target Organs : nasal cavity  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### Repeated dose toxicity

#### Components:

##### **Diazinon:**

Species : Rat  
NOAEL : 0.3 mg/kg  
LOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
NOAEL : 0.1 mg/l  
LOAEL : 0.75 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days

##### **Solvent naphtha (petroleum), light aromatic:**

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

##### **4-Nonylphenol, branched, ethoxylated:**

Species : Rat  
LOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Diazinon:

Inhalation : Symptoms: carcinogenic effects

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Diazinon:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.09 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0.000164 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.092 mg/l  
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00017 mg/l  
Exposure time: 21 d

#### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211

### **4-Nonylphenol, branched, ethoxylated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 40 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

---

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

##### **4-Nonylphenol, branched, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Diazinon:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 46.9

Partition coefficient: n-octanol/water : log Pow: 3.69

##### **4-Nonylphenol, branched, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: < 4

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version 3.2      Revision Date: 12/08/2025      SDS Number: 11292252-00005      Date of last issue: 06/17/2025  
Date of first issue: 11/07/2023

---

Partition coefficient: n-octanol/water : log Pow: 1.34  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Diazinon, 4-Nonylphenol, branched, ethoxylated)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Diazinon, 4-Nonylphenol, branched, ethoxylated)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Diazinon, 4-Nonylphenol, branched, ethoxylated)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diazinon, 4-Nonylphenol, branched, ethoxylated)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Diazinon, 4-Nonylphenol, branched, ethoxylated)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
CA. DSL	:	not determined
IECSC	:	not determined

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Diazinon (47%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2025
3.2	12/08/2025	11292252-00005	Date of first issue: 11/07/2023

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/08/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8