

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

### SECTION 1. IDENTIFICATION

Product name : Ethion / Deltamethrin Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 3  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 3  
Serious eye damage : Category 1  
Skin sensitization : Sub-category 1A  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (Central nervous system)  
- single exposure  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 1  
- repeated exposure  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :    

Signal Word : Danger

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Hazard Statements : H301 + H311 Toxic if swallowed or in contact with skin.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H370 Causes damage to organs (Central nervous system).  
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER. Rinse mouth.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a doctor if you feel unwell.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P308 + P311 IF exposed or concerned: Call a doctor.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

### Other hazards

Repeated exposure may cause skin dryness or cracking.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Hydrocarbons, C10, aromatics, <1% naphthalene	Solvent naphtha (petroleum), heavy arom.	64742-94-5	$\geq 60 - < 80$ *
Ethion	O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate)	563-12-2	$\geq 10 - < 30$ *
Nonylphenol, ethoxylated	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	$\geq 5 - < 10$ *
Calcium dodecylbenzenesulphonate	Benzenesulfonic acid, dodecyl-, calcium salt (2:1)	26264-06-2	$\geq 1 - < 5$ *
Deltamethrin (ISO)	No data available	52918-63-5	$\geq 1 - < 5$ *
2-Ethylhexan-1-ol	1-Hexanol, 2-ethyl-	104-76-7	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

- 
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed or in contact with skin.  
May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Harmful if inhaled.  
May cause drowsiness or dizziness.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.  
Prolonged or repeated contact may dry skin and cause irritation.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.  
No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Sulfur oxides  
Oxides of phosphorus  
Metal oxides  
Sulfur compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

- Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Ethion	563-12-2	TWA	4 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	40 µg/100 cm <sup>2</sup>	Internal
		TWA	0.05 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (inhalable fraction and vapour)	0.05 mg/m <sup>3</sup>	CA QC OEL
		TWA (Vapour and inhalable aerosols)	0.05 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable fraction and vapor)	0.05 mg/m <sup>3</sup>	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

2-Ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
-------------------	----------	-----	-------	-------

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapor type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	Colorless to pale yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Toxic if swallowed or in contact with skin.  
Harmful if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 90.41 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.85 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 455.55 mg/kg  
Method: Calculation method

#### Components:

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### **Ethion:**

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.450 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

### **Calcium dodecylbenzenesulphonate:**

Acute oral toxicity : LD50 (Rat): > 500 - 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

### **2-Ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: The test was conducted according to guideline

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Assessment : Repeated exposure may cause skin dryness or cracking.

#### **Ethion:**

Species : Rabbit  
Result : Mild skin irritation

#### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on data from similar materials

#### **Deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

### 2-Ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	The test was conducted according to guideline

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

#### Ethion:

Result	:	No eye irritation
--------	---	-------------------

#### Nonylphenol, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

#### Calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

#### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

#### 2-Ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405
Remarks	:	The test was conducted according to guideline

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### **Ethion:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **Nonylphenol, ethoxylated:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### **Calcium dodecylbenzenesulphonate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

#### **Deltamethrin (ISO):**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Dermal  
Species : Humans  
Result : positive

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative  
Remarks: Based on data from similar materials

### **Ethion:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

Test Type: In vivo micronucleus test  
Species: Mouse  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Nonylphenol, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### **Calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### **2-Ethylhexan-1-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

guideline

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Ethion:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 Months  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **Deltamethrin (ISO):**

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

### 2-Ethylhexan-1-ol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

#### Ethion:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Remarks: Based on data from similar materials

### Deltamethrin (ISO):

Effects on fertility

: Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility.  
Target Organs: Testes

Effects on fetal development

: Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on fetal development.

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### 2-Ethylhexan-1-ol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Remarks: The test was conducted according to guideline  
Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Skin contact  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### **STOT-single exposure**

May cause drowsiness or dizziness.  
Causes damage to organs (Central nervous system).

#### **Components:**

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Assessment : May cause drowsiness or dizziness.  
Remarks : Based on data from similar materials

##### **Ethion:**

Assessment : Causes damage to organs.

##### **Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

##### **2-Ethylhexan-1-ol:**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

#### **Components:**

##### **Ethion:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **Calcium dodecylbenzenesulphonate:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **Deltamethrin (ISO):**

Routes of exposure : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

##### **Ethion:**

Species : Dog  
NOAEL : 0.05 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Calcium dodecylbenzenesulphonate:**

Species : Rat  
LOAEL : > 200 mg/kg  
Application Route : Ingestion  
Exposure time : 6 - 7 Weeks  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

Species : Rabbit  
NOAEL : > 100 mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
Remarks : Based on data from similar materials

##### **Deltamethrin (ISO):**

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

Species : Rat  
LOAEL : 3 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 wk / 5 d/wk / 6 h/d

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

Species : Mouse  
LOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 12 Weeks  
Target Organs : Immune system  
Symptoms : immune system effects

### 2-Ethylhexan-1-ol:

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : The test was conducted according to guideline

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Ethion:

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

#### Deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

##### **Ethion:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 0.056 - 7.7 µg/l Exposure time: 48 h

##### **Nonylphenol, ethoxylated:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### Calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version 1.1      Revision Date: 01/21/2026      SDS Number: 11581580-00002      Date of last issue: 09/29/2025  
Date of first issue: 09/29/2025

---

- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h
- EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
Exposure time: 48 h
- LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d
- NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d
- 2-Ethylhexan-1-ol:**
- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.  
Remarks: The test was conducted according to guideline
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: The test was conducted according to guideline
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 13.3 mg/l  
Exposure time: 72 h
- EC10 (Desmodesmus subspicatus (green algae)): 1.3 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): 0.278 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210  
Remarks: The test was conducted according to guideline
- Toxicity to daphnia and other : EC10 (Daphnia magna (Water flea)): 1.53 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: The test was conducted according to guideline

Toxicity to microorganisms : NOEC (activated sludge): > 300 mg/l  
Exposure time: 24 h

### Persistence and degradability

#### Components:

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 49.56 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Ethion:**

Biodegradability : Result: not rapidly degradable

##### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **Calcium dodecylbenzenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### **Deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

##### **2-Ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 79 - 99.9 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C  
Remarks: The test was conducted equivalent or similar to guideline

### Bioaccumulative potential

#### Components:

##### **Ethion:**

Partition coefficient: n-octanol/water : log Pow: 5.07

##### **Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

### Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.77  
Remarks: Calculation

### Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

### 2-Ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9  
Method: OECD Test Guideline 117  
Remarks: The test was conducted according to guideline

### Mobility in soil

#### Components:

### Deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion, deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Environmentally hazardous : yes

#### IATA-DGR

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

UN/ID No. : UN 2810  
Proper shipping name : Toxic liquid, organic, n.o.s.  
(Ethion, Deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 663  
Packing instruction (passenger aircraft) : 655

### IMDG-Code

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion, Deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion, Deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : 6.1  
ERG Code : 153  
Marine pollutant : yes(Deltamethrin (ISO), Ethion)  
Remarks : Display "inhalation hazard" mark on package in accordance with TDG 4.23.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
CA. DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 09/29/2025  
1.1                01/21/2026              11581580-00002        Date of first issue: 09/29/2025

---

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ethion / Deltamethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2025
1.1	01/21/2026	11581580-00002	Date of first issue: 09/29/2025

---

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 01/21/2026  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8